


WILSON BOHANNAN SOLID BRASS PADLOCKS

Where security is imperative, so is Wilson Bohannon. Inside or out, wet or dry, winter or summer, WB padlocks have provided American industry with unmatched protection for over 135 years. Total brass construction eliminates the possibility of rust. Shackles are available in brass, case hardened steel or stainless steel to assure maximum security when needed. Exclusive WB options allow you to design your own padlock. Quality. Reliability. Service. Hallmarks of Wilson Bohannon, America's number one padlock.

SPECIAL FEATURES & ADVANTAGES




TRADITIONAL
AMERICAN
CRAFTSMANSHIP

Uncommon quality. Uncommon reliability. Since 1860.

AFTER 1993, BUT BEFORE 2000




Since 1860

WILSON BOHANNAN SOLID BRASS PADLOCKS

America's All Brass, All Weather, All Purpose Padlocks

ORDERING INFORMATION

How to read and use model numbers



*Fourth and fifth digit can be added to three digit model number for (4) keying and (5) accessories.

Locks keyed alike, 1 key furnished.
Locks keyed differently, 2 keys furnished.


Digit #4 (keying)

- 0 = "0" BITTED
- 1 = KA: Keyed Alike
- 2 = KD: Keyed Differently
- 3 = KA-MK: KA Master Keyed
- 4 = KD-MK: KD Master Keyed
- 5 = KA-GMK: KA Grand Master Keyed
- 6 = KD-GMK: KD Grand Master Keyed
- 7 = Special Keyway

Digit #5 (accessories)

- 0 = NONE
- 1 = 9" STEEL CHAIN ATTACHED TO BODY
- 2 = 9" STEEL CHAIN ATTACHED TO SHACKLE
- 3 = 9" BRASS CHAIN ATTACHED TO BODY
- 4 = 9" BRASS CHAIN ATTACHED TO SHACKLE
- 5 = 15" BRASS CHAIN ATTACHED TO BODY
- 6 = 15" BRASS CHAIN ATTACHED TO SHACKLE
- 7 = BRASS ID TAG ATTACHED TO BODY
- 8 = BRASS ID TAG ATTACHED TO SHACKLE
- 9 = ANODIZED ALUMINUM TAG ATTACHED TO BODY
- A = ANODIZED ALUMINUM TAG ATTACHED TO SHACKLE

WB SERIES



Approximate Net Weight Per Dozen

Chains attached, additional 12 oz.

Series No. 0	3 lbs.
Series No. 1	6 lbs.
Series No. 5	6 lbs.
Series No. 6	8 lbs.
Series No. 9	12 lbs.

THE WILSON BOHANNAN COMPANY


621 Buckeye Street, P.O. Box 504, Marion, Ohio 43302
Phone 740-382-3639 Fax 740-383-1653

Uncommon Quality. Uncommon Reliability. Since 1860.
1-800-382-3639 • EDI Accessible

TRADITIONAL
AMERICAN
CRAFTSMANSHIP

SOLID BRASS PIN TUMBLER PADLOCKS


WILSON BONANNAN PADLOCKS



Model #001
(Actual Size)

KB4


MFG. SERIES NO. 0	SHACKLE SIZES		SHACKLE MATERIAL	UPC CODE 7-27407-
	A Diameter	B Clearance		
4 PIN, 1-1/8" SOLID BRASS BODY				
MODEL #				
001	3/16"	5/8"	Brass	00100-2
061	3/16"	2"	Brass	06100-6



Model #111
(Actual Size)

KB5

MFG. SERIES NO. 1	SHACKLE SIZES		SHACKLE MATERIAL	UPC CODE 7-27407-
	A Diameter	B Clearance		
5 PIN, 1-1/2" SOLID BRASS BODY				
MODEL #				
111	1/4"	7/8"	Brass	11100-8
112	1/4"	7/8"	Steel	11200-5
161	1/4"	2"	Brass	16100-3
162	1/4"	2"	Steel	16200-0
172	1/4"	3"	Steel	17200-9
181	1/4"	4"	Brass	18100-1
182	1/4"	4"	Steel	18200-8
192	1/4"	5"	Steel	19200-7
1A1	1/4"	6"	Brass	10100-9
1B1	1/4"	8"	Brass	11010-0
1B2	1/4"	8"	Steel	11320-0




Model #511
(Actual Size)

KB5

MFG. SERIES NO. 5	SHACKLE SIZES		SHACKLE MATERIAL	UPC CODE 7-27407-
	A Diameter	B Clearance		
5 PIN, 1-1/2" SOLID BRASS BODY				
MODEL #				
511	9/32"	7/8"	Brass	51100-6
512	9/32"	7/8"	Steel	51200-3
513	9/32"	7/8"	Stainless Steel	51300-0
541	9/32"	1-1/2"	Brass	54100-3
542	9/32"	1-1/2"	Steel	54200-0
543	9/32"	1-1/2"	Stainless Steel	54300-7
571	9/32"	3"	Brass	57100-0
572	9/32"	3"	Steel	57200-7


SOLID BRASS PIN TUMBLER PADLOCKS



Model #611
(Actual Size)

KB6

MFG. SERIES NO. 6	SHACKLE SIZES		SHACKLE MATERIAL	UPC CODE 7-27407-
	A Diameter	B Clearance		
5 PIN, 1-3/4" SOLID BRASS BODY				
MODEL #				
611	5/16"	7/8"	Brass	61100-3
612	5/16"	7/8"	Steel	61200-0
613	5/16"	7/8"	Stainless Steel	61300-7
651	5/16"	1-5/8"	Brass	65100-9
652	5/16"	1-5/8"	Steel	65200-6
653	5/16"	1-5/8"	Stainless Steel	65300-3
661	5/16"	2"	Brass	66100-8
662	5/16"	2"	Steel	66200-5
663	5/16"	2"	Stainless Steel	66300-2
671	5/16"	3"	Brass	67100-7
672	5/16"	3"	Steel	67200-4




Model #921
(Actual Size)

KB6

MFG. SERIES NO. 9	SHACKLE SIZES		SHACKLE MATERIAL	UPC CODE 7-27407-
	A Diameter	B Clearance		
5 PIN, 2" SOLID BRASS BODY				
MODEL #				
921	3/8"	1"	Brass	92100-3
922	3/8"	1"	Steel	92200-0
923	3/8"	1"	Stainless Steel	92300-7
961	3/8"	2"	Brass	96100-9
963	3/8"	2"	Stainless Steel	96300-3
981	3/8"	4"	Brass	98100-7

For Grand Master Keying, Consult Factory.



Model #412
(Actual Size)


KB5

SOLID BRASS METER LOCKS

MFG. SERIES NO. 4	PIN SIZES		METER PIN MATERIAL	UPC CODE 7-27407-
	A Diameter	B Clearance		
5 PIN, 1-1/2" SOLID BRASS BODY, SINGLE POST LOCK				
MODEL #				
402	3/8"	5/8"	Steel	40200-7
412	3/8"	7/8"	Steel	41200-6
482	3/8"	4"	Steel	48200-9

TO ORDER CALL TOLL FREE 1-800-382-3639 • Fax: 740-383-1653

EDI Accessible





COLOR CODING

- ▲ Wilson Bohannon offers color coding for all WB locks in a wide variety of colors including all OSHA safety colors. Color coded locks provide quick recognition for departmental locks.

SAFETY LOCKOUT HASPS

- ▲ Vinyl coated case hardened steel for multiple lockouts. One inch clearance accommodates six padlocks with up to a 5/16" diameter shackle.



CHAINS

- ▲ Wilson Bohannon offers steel and brass chains for securing padlocks to gates and doorways. Chains are available in 9" brass or steel and 15" brass. Chains can be attached with a collar to the shackle or to the padlock body with a clevis.


TRADITIONAL
AMERICAN
CRAFTSMANSHIP

WB CUSTOM FEATURES

Special Features & Accessories




CUSTOM MONOGRAMMING

- ▲ Wilson Bohannon has the capability to stamp your company's name, logo, clock numbers and to number locks and keys to your specifications.

IDENTIFICATION TAGS

- ▲ Round tags are available in solid brass or colored anodized aluminum. Brass tags can be painted in a wide variety of colors. Anodized aluminum tags are available in red, orange, green, blue, gold, or purple. Tags may be attached to the shackle with a collar or to the padlock body with a clevis. Custom stamping of tags is also available.



CYLINDERS

- ▲ Rim and mortise cylinders are also available from Wilson Bohannon Co. Both can be manufactured to integrate with any existing or future Wilson Bohannon keying system. Cylinders can be adapted to most other standard OEM keyways and systems. Mortise cylinders are 1 1/8" in length and rim cylinders feature a breakaway tail-piece to fit the thickness of any standard door. Cylinders are available with pictured cams and with US3, US4, US10B, US26, US26D standard finishes.

