



A Tradition of American Craftsmanship






TABLE OF CONTENTS

Over 140 Years of Protection


- Wilson Bohannan Company Overview

Wilson Bohannan Customer Service

- How to Order
- Warranty
- Terms

Wilson Bohannan Solid Brass Padlocks

- WB Padlocks
- Double Ball Padlocks
- Interchangeable Core Locks
- Lockout/Tagout Padlocks



Special Features & Accessories

- Custom Monogramming
- Identification Tags
- Rim and Mortise Cylinders
- Color Coding
- Safety Lockout Hasps
- Chains


Wilson Bohannan Price Lists

- WB Padlocks
- Double Ball Padlocks
- Interchangeable Core Locks

OUR STORY OF TRADITIONAL AMERICAN CRAFTSMANSHIP

The Wilson Bohannon Company has been providing industry unmatched security since 1860. A true expression of American craftsmanship, the all brass WB® padlocks continue to reinforce their long-standing reputation for uncommon quality, uncommon reliability. In security concerned industries and institutions including government and military installations, utilities, railroads, refineries and manufacturing operations . . . indoors and out . . . chances are rustproof WB padlocks will be ensuring security.

The look of our locks has changed over the years but our quality construction, precision engineering and commitment to total customer satisfaction remain unchanged. Our locks are still all brass. Still engineered to the highest standards. Still inspected at each stage of assembly, not just as a finished product.



After more than a century of manufacturing its singular line of WB padlocks, Wilson Bohannon Company expanded its proven commercial product line, introducing I.C. core padlocks and D.B. padlocks. In addition, Top Brass has been introduced to the retail market.

All Top Brass padlocks feature the same quality construction and workmanship of the renowned WB locks. These top-of-the-line padlocks have found a welcome market, just as WB locks have

long enjoyed. They're the ideal choice for consumers who place a premium on security and safety, inside or out.

WB is the only American-made padlock that offers truly rustproof service under the harshest conditions. Each padlock is made with watch-like precision, but is rugged.

At the Wilson Bohannon manufacturing plant in Marion, Ohio, our locks are subjected to ongoing quality control unmatched in the industry. This translates to total reliability of each and every lock that leaves our plant. And explains why each lock carries a lifetime guarantee.

HOW TO ORDER

1-800-382-3639
Fax: 740-383-1653
EDI Accessible

The Wilson Bohannon Company was established in 1860 and has been providing unmatched customer service for over 140 years to its customers. We are proud to say our products are Made in the USA. When calling our 800 number you will be directly connected to our sales department which is staffed with knowledgeable, courteous, experienced personnel who will personalize service for you when handling your order. All order histories are computerized and files are maintained to access records. Emergency service is also available.

Lifetime Guarantee: The Wilson Bohannon padlocks have been manufactured to last a lifetime. Should your padlock fail to perform due to a manufacturing defect,

simply return the lock and key, together with proof of purchase, postage prepaid, to The Wilson Bohannon Company, 621 Buckeye Street, Marion, Ohio 43302. We will, at our discretion, repair your lock or send you a new lock. Wilson Bohannon shall not be liable for any incidental or consequential damages resulting from use of this lock.

Terms: Net 30 days. FOB Marion, Ohio.





Locks Since Lincoln

Key reasons to buy Wilson Bohannan Padlocks

- Top quality padlocks at a competitive price
- Rustproof solid brass construction
- Customized monogramming and numbering
- Multiple keying options including other manufacturers' keyways
- Reliable and courteous customer service
- Satisfaction guaranteed

Made in USA



Since 1860

Wilson Bohannan Co.

P.O. Box 504 • Marion, Ohio 43301-0504

e-mail: wbc@padlocks.com

website: www.padlocks.com

Fax: 740-383-1653

Toll Free: 800-382-3639






Since 1860

WILSON BOHANNAN SOLID BRASS PADLOCKS

America's All Brass, All Weather, All Purpose Padlocks

ORDERING INFORMATION

How to read and use model numbers



*Fourth and fifth digit can be added to three digit model number for (4) keying and (5) accessories.

Locks keyed alike, 1 key furnished.
Locks keyed differently, 2 keys furnished.


Digit #4 (keying)

- 0 = "0" BITTED
- 1 = KA: Keyed Alike
- 2 = KD: Keyed Differently
- 3 = KA-MK: KA Master Keyed
- 4 = KD-MK: KD Master Keyed
- 5 = KA-GMK: KA Grand Master Keyed
- 6 = KD-GMK: KD Grand Master Keyed
- 7 = Special Keyway

Digit #5 (accessories)

- 0 = NONE
- 1 = 9" STEEL CHAIN ATTACHED TO BODY
- 2 = 9" STEEL CHAIN ATTACHED TO SHACKLE
- 3 = 9" BRASS CHAIN ATTACHED TO BODY
- 4 = 9" BRASS CHAIN ATTACHED TO SHACKLE
- 5 = 15" BRASS CHAIN ATTACHED TO BODY
- 6 = 15" BRASS CHAIN ATTACHED TO SHACKLE
- 7 = BRASS ID TAG ATTACHED TO BODY
- 8 = BRASS ID TAG ATTACHED TO SHACKLE
- 9 = ANODIZED ALUMINUM TAG ATTACHED TO BODY
- A = ANODIZED ALUMINUM TAG ATTACHED TO SHACKLE

WB SERIES



Approximate Net Weight Per Dozen

Chains attached, additional 12 oz.

| | |
|--------------|--------------|
| Series No. 0 |3 lbs. |
| Series No. 1 |6 lbs. |
| Series No. 5 |6 lbs. |
| Series No. 6 |8 lbs. |
| Series No. 9 |12 lbs. |

Minimum order one dozen.
For special shackles, consult factory.
Lubricate padlocks with powdered graphite.

THE WILSON BOHANNAN COMPANY



SOLID BRASS PIN TUMBLER PADLOCKS



Model #001

KB4

| MFG. SERIES NO. 0 | SHACKLE SIZES | | SHACKLE MATERIAL | UPC CODE 7-27407- |
|---------------------------------------|---------------|----------------|------------------|----------------------|
| | A Diameter | B Clearance | | |
| 4 PIN, 1-1/8" SOLID BRASS BODY | | | | |
| MODEL # | | | | |
| 001 | 3/16" | 5/8" | BRASS | 00100-2 |
| 021 | 3/16" | 1" | BRASS | 02100-0 |
| 061 | 3/16" | 2" | BRASS | 06100-6 |


| MFG. SERIES NO. A | SHACKLE SIZES | | SHACKLE MATERIAL | UPC CODE 7-27407- |
|---------------------------------------|---------------|----------------|------------------|----------------------|
| | A Diameter | B Clearance | | |
| 5 PIN, 1-1/2" SOLID BRASS BODY | | | | |
| MODEL # | | | | |
| A11 | 3/16" | 7/8" | BRASS | 01100-1 |



Model #111

KB5

| MFG. SERIES NO. 1 | SHACKLE SIZES | | SHACKLE MATERIAL | UPC CODE 7-27407- |
|---------------------------------------|---------------|----------------|------------------|----------------------|
| | A Diameter | B Clearance | | |
| 5 PIN, 1-1/2" SOLID BRASS BODY | | | | |
| MODEL # | | | | |
| 111 | 1/4" | 7/8" | BRASS | 11100-8 |
| 112 | 1/4" | 7/8" | STEEL | 11200-5 |
| 141 | 1/4" | 1-1/2" | BRASS | 14100-5 |
| 142 | 1/4" | 1-1/2" | STEEL | 14200-2 |
| 161 | 1/4" | 2" | BRASS | 16100-3 |
| 162 | 1/4" | 2" | STEEL | 16200-0 |
| 172 | 1/4" | 3" | STEEL | 17200-9 |
| 1H1 | 1/4" | 3-1/2" | BRASS | 10100-9 |
| 181 | 1/4" | 4" | BRASS | 18100-1 |
| 182 | 1/4" | 4" | STEEL | 18200-8 |
| 192 | 1/4" | 5" | STEEL | 19200-7 |
| 1A1 | 1/4" | 6" | BRASS | 10100-9 |
| 1B1 | 1/4" | 8" | BRASS | 11010-0 |
| 1B2 | 1/4" | 8" | STEEL | 11320-0 |




Model #511

KB5

| MFG. SERIES NO. 5 | SHACKLE SIZES | | SHACKLE MATERIAL | UPC CODE 7-27407- |
|---------------------------------------|---------------|----------------|------------------|----------------------|
| | A Diameter | B Clearance | | |
| 5 PIN, 1-1/2" SOLID BRASS BODY | | | | |
| MODEL # | | | | |
| 511 | 9/32" | 7/8" | BRASS | 51100-6 |
| 512 | 9/32" | 7/8" | STEEL | 51200-3 |
| 513 | 9/32" | 7/8" | STAINLESS STEEL | 51300-0 |
| 531 | 9/32" | 1-1/4" | BRASS | 53100-4 |
| 541 | 9/32" | 1-1/2" | BRASS | 54100-3 |
| 542 | 9/32" | 1-1/2" | STEEL | 54200-0 |
| 543 | 9/32" | 1-1/2" | STAINLESS STEEL | 54300-7 |
| 571 | 9/32" | 3" | BRASS | 57100-0 |
| 572 | 9/32" | 3" | STEEL | 57200-7 |


SOLID BRASS PIN TUMBLER PADLOCKS



Model #611

KB6

| MFG. SERIES NO. 6 | SHACKLE SIZES | | SHACKLE MATERIAL | UPC CODE 7-27407- |
|---------------------------------------|---------------|-------------|------------------|----------------------|
| | A Diameter | B Clearance | | |
| 5 PIN, 1-3/4" SOLID BRASS BODY | | | | |
| MODEL # | | | | |
| 611 | 5/16" | 7/8" | BRASS | 61100-3 |
| 612 | 5/16" | 7/8" | STEEL | 61200-0 |
| 613 | 5/16" | 7/8" | STAINLESS STEEL | 61300-7 |
| 631 | 5/16" | 1-1/4" | BRASS | 63100-1 |
| 633 | 5/16" | 1-1/4" | STAINLESS STEEL | 63300-5 |
| 651 | 5/16" | 1-5/8" | BRASS | 65100-9 |
| 652 | 5/16" | 1-5/8" | STEEL | 65200-6 |
| 653 | 5/16" | 1-5/8" | STAINLESS STEEL | 65300-3 |
| 6C1 | 5/16" | 1-3/4" | BRASS | 60100-4 |
| 661 | 5/16" | 2" | BRASS | 66100-8 |
| 662 | 5/16" | 2" | STEEL | 66200-5 |
| 663 | 5/16" | 2" | STAINLESS STEEL | 66300-2 |
| 6D1 | 5/16" | 2-1/2" | BRASS | 69100-5 |
| 671 | 5/16" | 3" | BRASS | 67100-7 |
| 672 | 5/16" | 3" | STEEL | 67200-4 |
| 673 | 5/16" | 3" | STAINLESS STEEL | 67300-1 |
| 681 | 5/16" | 4" | BRASS | 68100-6 |
| 682 | 5/16" | 4" | STEEL | 68200-3 |



Model #921

KB6

| MFG. SERIES NO. 9 | SHACKLE SIZES | | SHACKLE MATERIAL | UPC CODE 7-27407- |
|-----------------------------------|---------------|-------------|------------------|----------------------|
| | A Diameter | B Clearance | | |
| 5 PIN, 2" SOLID BRASS BODY | | | | |
| MODEL # | | | | |
| 921 | 3/8" | 1" | BRASS | 92100-3 |
| 922 | 3/8" | 1" | STEEL | 92200-0 |
| 923 | 3/8" | 1" | STAINLESS STEEL | 92300-7 |
| 941 | 3/8" | 1-1/2" | BRASS | 94100-1 |
| 961 | 3/8" | 2" | BRASS | 96100-9 |
| 962 | 3/8" | 2" | STEEL | 96200-6 |
| 963 | 3/8" | 2" | STAINLESS STEEL | 96300-3 |
| 9D1 | 3/8" | 2-1/2" | BRASS | 90100-5 |
| 981 | 3/8" | 4" | BRASS | 98100-7 |
| 982 | 3/8" | 4" | STEEL | 98200-4 |

For Grand Master Keying, Consult Factory.




Model #412

SOLID BRASS METER LOCKS

| MFG. SERIES NO. 4 | PIN SIZES | | PIN MATERIAL | UPC CODE 7-27407- |
|---------------------------------------|------------|-------------|--------------|----------------------|
| | A Diameter | B Clearance | | |
| 5 PIN, 1-1/2" SOLID BRASS BODY | | | | |
| MODEL # | | | | |
| 402 | 3/8" | 5/8" | STEEL | 40200-7 |
| 412 | 3/8" | 7/8" | STEEL | 41200-6 |
| 472 | 3/8" | 3" | STEEL | 47200-0 |

DOUBLE BALL PADLOCK

Ball Lock



Shackle - Shackle available in case hardened steel for maximum resistance to cutting. Also available in brass or stainless steel specifically designed to stand up to the weather.

Locking System - Stainless steel heel and toe locking mechanism to provide for the highest resistance to pulling and prying (available in either key or non-key retaining).

Case - Solid brass body to eliminate any chance of rusting.

Model No. XG2

Tumbler Mechanism - Five pin tumbler mechanism allows for wide diversity of keying systems featuring keyed alike, keyed different and master keyed (can also be keyed into many existing keyways).

Since 1860



THE

WILSON BOHANNAN COMPANY




TRADITIONAL
AMERICAN
CRAFTSMANSHIP

P.O. BOX 504 • MARION, OHIO 43302-0504
PH 800-382-3639 • FAX 740-383-1653
www.padlocks.com wbco@padlocks.com

ORDERING INFORMATION

How to read and use model numbers

Typical Three Digit Model Number **X G 2 2* 1***




*Fourth and fifth digit can be added to three digit model number for (4) keying and (5) accessories.
Locks keyed alike, 1 key furnished. Locks keyed differently, 2 keys furnished.

| MFG. SERIES NO. V | SHACKLE SIZES | | SHACKLE MATERIAL | UPC CODE 7-27407- |
|---------------------------------------|---------------|----------------|------------------|----------------------|
| | A Diameter | B Clearance | | |
| 5 PIN, 1-1/2" SOLID BRASS BODY | | | | |
| MODEL # | | | | |
| VG1 | 9/32" | 1-1/8" | BRASS | 99956-9 |
| VG2 | 9/32" | 1-1/8" | STEEL | 99957-6 |
| VG3 | 9/32" | 1-1/8" | STAINLESS STEEL | 99958-3 |
| V61 | 9/32" | 2" | BRASS | 99959-0 |
| V62 | 9/32" | 2" | STEEL | 99960-6 |
| V63 | 9/32" | 2" | STAINLESS STEEL | 99979-8 |
| V71 | 9/32" | 3" | BRASS | 99961-3 |
| V72 | 9/32" | 3" | STEEL | 99962-0 |
| V73 | 9/32" | 3" | STAINLESS STEEL | 99980-4 |

| MFG. SERIES NO. X | SHACKLE SIZES | | SHACKLE MATERIAL | UPC CODE 7-27407- |
|---------------------------------------|---------------|----------------|------------------|----------------------|
| | A Diameter | B Clearance | | |
| 5 PIN, 1-3/4" SOLID BRASS BODY | | | | |
| MODEL # | | | | |
| XG1 | 5/16" | 1-1/8" | BRASS | 99963-7 |
| XG2 | 5/16" | 1-1/8" | STEEL | 99964-4 |
| XG3 | 5/16" | 1-1/8" | STAINLESS STEEL | 99965-1 |
| X43 | 5/16" | 1-1/2" | STAINLESS STEEL | 99981-1 |
| X61 | 5/16" | 2" | BRASS | 99966-8 |
| X62 | 5/16" | 2" | STEEL | 99967-5 |
| X63 | 5/16" | 2" | STAINLESS STEEL | 99978-1 |
| X71 | 5/16" | 3" | BRASS | 99968-2 |
| X72 | 5/16" | 3" | STEEL | 99969-9 |
| X73 | 5/16" | 3" | STAINLESS STEEL | 99982-8 |
| X82 | 5/16" | 4" | STEEL | 99983-5 |

| MFG. SERIES NO. Y | SHACKLE SIZES | | SHACKLE MATERIAL | UPC CODE 7-27407- |
|-----------------------------------|---------------|----------------|------------------|----------------------|
| | A Diameter | B Clearance | | |
| 5 PIN, 2" SOLID BRASS BODY | | | | |
| MODEL # | | | | |
| YG1 | 3/8" | 1-1/8" | BRASS | 99970-5 |
| YG2 | 3/8" | 1-1/8" | STEEL | 99971-2 |
| YG3 | 3/8" | 1-1/8" | STAINLESS STEEL | 99972-9 |
| Y61 | 3/8" | 2" | BRASS | 99973-6 |
| Y62 | 3/8" | 2" | STEEL | 99974-3 |
| Y63 | 3/8" | 2" | STAINLESS STEEL | 99977-4 |
| Y71 | 3/8" | 3" | BRASS | 99975-0 |
| Y72 | 3/8" | 3" | STEEL | 99976-7 |
| Y73 | 3/8" | 3" | STAINLESS STEEL | 99984-2 |
| Y92 | 3/8" | 5" | STEEL | 99985-9 |

BALL LOCK DIMENSIONS



Digit #4 (keying)

Non-Key Retaining

- 0 = "0" BITTED
- 1 = KA
- 2 = KD
- 3 = KA-MK
- 4 = KD-MK
- 5 = KA-GMK
- 6 = KD-GMK
- 7 = SPECIAL KEYWAY

Key Retaining

- A = "0" BITTED
- B = KA
- C = KD
- D = KA-MK
- E = KD-MK
- F = KA-GMK
- G = KD-GMK
- H = SPECIAL KEYWAY

Digit #5 (accessories)


- 0 = NONE
- 1 = 9" Steel Chain Attached to Body
- 2 = 9" Steel Chain Attached to Shackle
- 3 = 9" Brass Chain Attached to Body
- 4 = 9" Brass Chain Attached to Shackle
- 5 = 15" Brass Chain Attached to Body
- 6 = 15" Brass Chain Attached to Shackle
- 7 = Brass ID Tag Attached to Body
- 8 = Brass ID Tag Attached to Shackle
- 9 = Anodized Aluminum Tag Attached to Body
- A = Anodized Aluminum Tag Attached to Shackle

ADDED FEATURES

- ** Non-Key Retaining Standard
- ** Key Retaining Available
- ** Key Numbering & Stamping
- ** Padlock Numbering & Custom Monogramming (Company Name, Logo, Dept., Etc.)
- ** Steel or Brass Chains
- ** ID Tags
- ** Color Coding

Minimum order one dozen.
For special shackles, consult factory.
Lubricate padlocks with powdered graphite.

Wilson Bohannan Interchangeable Core Locks



- Rustproof solid brass construction
- Stainless steel double ball locking
- Accepts Best, KSP, Arrow and comparable cores (6 or 7 pin, spacers not needed)
- Available key or non-key retaining
- Customized monogramming and numbering
- Colored or brass tags
- Brass or steel chains

Made in USA



Since 1860

Wilson Bohannan Co.

P.O. Box 504 • Marion, Ohio 43301-0504

e-mail: wbc@padlocks.com

website: www.padlocks.com

Toll Free 800-382-3639 • Fax 740-383-1653

ORDERING INFORMATION


No. 8 Series Features and Accessories

- ▲ Interchangeable Core
- ▲ Non-key retaining - standard
- ▲ Key retaining available
- ▲ Solid brass construction
- ▲ Stainless steel ball locking, heel and toe
- ▲ Color coding
- ▲ Locks can be custom monogrammed with your company name, logo, dept., etc.
- ▲ Accepts 6 & 7 pin cores (spacers not needed)
- ▲ Locks can be individually boxed
- ▲ 9" Steel or brass chains
- ▲ ID tags

| MFG. SERIES NO. 84 | SHACKLE SIZES | | SHACKLE MATERIAL | UPC CODE 7-27407- |
|--------------------------------|---------------|-------------|------------------|----------------------|
| | A Diameter | B Clearance | | |
| 1-3/4" SOLID BRASS BODY | | | | |
| MODEL # | A | B | | |
| 8411 | 9/32" | 1-1/8" | BRASS | 84110-3 |
| 8412 | 9/32" | 1-1/8" | STEEL | 84120-2 |
| 8413 | 9/32" | 1-1/8" | STAINLESS STEEL | 84130-1 |
| 8421 | 9/32" | 2" | BRASS | 84210-0 |
| 8422 | 9/32" | 2" | STEEL | 84220-9 |
| 8423 | 9/32" | 2" | STAINLESS STEEL | 84230-8 |
| 8431 | 9/32" | 3" | BRASS | 84310-7 |
| 8432 | 9/32" | 3" | STEEL | 84320-6 |
| 8433 | 9/32" | 3" | STAINLESS STEEL | 84330-5 |

| MFG. SERIES NO. 85 | SHACKLE SIZES | | SHACKLE MATERIAL | UPC CODE 7-27407- |
|--------------------------------|---------------|-------------|------------------|----------------------|
| | A Diameter | B Clearance | | |
| 1-3/4" SOLID BRASS BODY | | | | |
| MODEL # | A | B | | |
| 8511 | 5/16" | 1-1/8" | BRASS | 85110-2 |
| 8512 | 5/16" | 1-1/8" | STEEL | 85120-1 |
| 8513 | 5/16" | 1-1/8" | STAINLESS STEEL | 85130-0 |
| 8521 | 5/16" | 2" | BRASS | 85210-9 |
| 8522 | 5/16" | 2" | STEEL | 85220-8 |
| 8523 | 5/16" | 2" | STAINLESS STEEL | 85230-7 |
| 8531 | 5/16" | 3" | BRASS | 85310-6 |
| 8532 | 5/16" | 3" | STEEL | 85320-5 |
| 8533 | 5/16" | 3" | STAINLESS STEEL | 85730-2 |
| 8542 | 5/16" | 4" | STEEL | 85820-0 |

| MFG. SERIES NO. 86 | SHACKLE SIZES | | SHACKLE MATERIAL | UPC CODE 7-27407- |
|------------------------------|---------------|-------------|------------------|----------------------|
| | A Diameter | B Clearance | | |
| 2" SOLID BRASS BODY | | | | |
| MODEL # | A | B | | |
| 8611 | 3/8" | 1-1/8" | BRASS | 86110-1 |
| 8612 | 3/8" | 1-1/8" | STEEL | 86120-0 |
| 8613 | 3/8" | 1-1/8" | STAINLESS STEEL | 86130-9 |
| 8621 | 3/8" | 2" | BRASS | 86210-8 |
| 8622 | 3/8" | 2" | STEEL | 86220-7 |
| 8623 | 3/8" | 2" | STAINLESS STEEL | 86230-6 |
| 8631 | 3/8" | 3" | BRASS | 86310-5 |
| 8632 | 3/8" | 3" | STEEL | 86320-4 |
| 8633 | 3/8" | 3" | STAINLESS STEEL | 86330-3 |
| 8652 | 3/8" | 5" | STEEL | 86920-6 |



Also available in 2" body width - 15/16" depth

Combinated and Uncombinated Cores available - consult factory

Minimum order one dozen.
For special shackles, consult factory.
For key retaining add KR to model number.
Lubricate padlocks with powdered graphite.



Padlocks

Lockout/Tagout

Since 1860

DANGER

**LOCKED OUT
TO PROTECT
WORKERS
REPAIRING
EQUIPMENT**

EMED Co., Inc. • 1-800-442-3653



Made in USA



Since 1860

Wilson Bohannan Safety Lockout Products


Safety Lockout Products

Wilson Bohannon's Safety Lockout Padlocks help you comply with OSHA's "Lockout/Tagout" standard which requires industry to lockout all machinery during maintenance or service operations. With so many options to choose from, you can meet OSHA's needs as well as the needs of your company. Eliminate smudged or unreadable hand written labels with permanent custom monogramming on the lock or tag with your company name, departments, or employee names and clock numbers. For quick recognition of departments, color

code your safety locks with anodized aluminum tags or durable painted locks. (Both available in all OSHA safety colors and more) All locks are available keyed alike, keyed different and master keyed. For more information or help in meeting the needs of your company please call us at 800-382-3639. Trust the company that has been protecting American industry since 1860 and always remember to take the time to be safe.

| MFG Model No. | Shackle Sizes | | Shackle Material |
|---------------------------------------|---------------|--------|------------------|
| | A | B | |
| 5 Pin, 1 1/2" Solid Brass Body | | | |
| 111 | 1/4" | 7/8" | Brass |
| 112 | 1/4" | 7/8" | Steel |
| 161 | 1/4" | 2" | Brass |
| 162 | 1/4" | 2" | Steel |
| 172 | 1/4" | 3" | Steel |
| 1H1 | 1/4" | 3 1/2" | Brass |


Locks available in other body sizes, shackle clearances and diameters. (consult factory)



Safety Lockout Hasps

These safety lockout hasps are specifically designed for locking out power sources such as disconnects, switches or valves. These bright zinc-plated steel hasps feature interlocking tabs that help prevent the lockout from being removed improperly

and a red vinyl coating serves as a warning tag. Each hasp will accept up to 6 padlocks and will accept a maximum shackle diameter of 5/16".



| MFG Model No. | A Clearance (ID) | B Max. Shkl. Diameter |
|---------------|---------------------|--------------------------|
| HSL-1 | 1" | 5/16" |
| HSL-2 | 1 1/2" | 5/16" |



Wilson Bohannon Padlock Co.

P.O. Box 504 • Marion, Ohio 43301-0504

e-mail: wbc@padlocks.com

website: www.padlocks.com

Toll Free 800-382-3639 • Fax 740-383-1653

WB CUSTOM FEATURES



CUSTOM MONOGRAMMING

- ▲ Wilson Bohannon has the capability to stamp your company's name, logo, clock numbers and to number locks and keys to your specifications.


IDENTIFICATION TAGS

- ▲ Round tags are available in solid brass or colored anodized aluminum. Brass tags can be painted in a wide variety of colors. Anodized aluminum tags are available in red, orange, green, blue, gold, or purple. Tags may be attached to the shackle with a collar or to the padlock body with a clevis. Custom stamping of tags is also available.



CYLINDERS

- ▲ Rim and mortise cylinders are also available from Wilson Bohannon Co. Both can be manufactured to integrate with any existing or future Wilson Bohannon keying system. Cylinders can be adapted to most other standard OEM keyways and systems. Mortise cylinders are 1 1/8" in length and rim cylinders feature a breakaway tail-piece to fit the thickness of any standard door. Cylinders are available with pictured cams and with US3, US4, US10B, US26, US26D standard finishes.






COLOR CODING

- ▲ Wilson Bohannon offers color coding for all WB locks in a wide variety of colors including all OSHA safety colors. Color coded locks provide quick recognition for departmental locks.

SAFETY LOCKOUT HASPS

- ▲ Vinyl coated case hardened steel for multiple lockouts. One inch clearance accommodates six padlocks with up to a 5/16" diameter shackle.



CHAINS

- ▲ Wilson Bohannon offers steel and brass chains for securing padlocks to gates and doorways. Chains are available in 9" brass or steel and 15" brass. Chains can be attached with a collar to the shackle or to the padlock body with a clevis.


TRADITIONAL
AMERICAN
CRAFTSMANSHIP



Since 1860



THE

WILSON BOHANNAN COMPANY

621 Buckeye Street, P.O. Box 504, Marion, Ohio 43302

Phone 740-382-3639

Fax 740-383-1653

Uncommon Quality. Uncommon Reliability. Since 1860.

1-800-382-3639

EDI Accessible



**TRADITIONAL
AMERICAN
CRAFTSMANSHIP**