

foreword




HIS CATALOGUE, the first we have issued since having located in Marion, Ohio, is sent to our customers and friends with much pleasure.

Old customers in studying this new catalogue will note the introduction of many new locks and the elimination of some of the old "Stand Byes" which, due to their decreased demand, we had to cease manufacturing.

In this age of quantity production on a price basis we are still holding to the same high standards which have characterized our products for the last seventy years. Our locks will still give the years of service and protection which you have learned to expect from all Bohannan "Well Built" products. Our absolute guarantee of replacement or repairs without charge should any locks fail to give satisfaction, still holds good.

A bit of history for our newer friends may be of interest. This Company was founded by Wilson Bohannan in 1860, in a small workshop located in the rear of his home in Brooklyn, New York. He designed and patented a series of padlocks, which, for simplicity, security and strength, have not been surpassed even to this day. Since the expiration of the patent rights they have been widely copied, which is a tribute to their excellence of design. It is interesting to note that although Wilson Bohannan passed on in 1896, the business to this day is still owned and operated by his heirs.

Today, after seventy years of continuous activity, we are located in our new plant, which is equipped with every modern device, machine or tool which our engineers have evolved for use in the manufacture of lock or bolt mechanisms. Our vision is one of service on an ever increasing scale but tempered with the motto, "Not how big or how much, but how good."



THE WILSON BOHANNAN CO.
MARION~OHIO

GENERAL INFORMATION

In ordering please state whether the locks are to be keyed differently, alike or master-keyed, also how many keys are desired with each lock. Unless otherwise instructed, locks will be furnished keyed differently, with two keys for each lock. This ruling applies to all our locks with the exception of the pin cylinder Night Latches and Dead Locks, which are furnished with three keys.

Locks keyed alike are referred to as locks that "pass", *i.e.*, any one key of a set opening all the locks.

Locks master-keyed are referred to as master-keyed locks. Master-keyed locks are all keyed differently, no one key to a lock opening another, but with a master-key operating all the locks. (See list below for master-keying.)

Locks keyed alike, or to "pass", can be furnished with one or more keys, and without keys when record has been kept of the key combination.

Locks keyed differently or master-keyed can be furnished with one or more keys with each lock.

Padlocks can be keyed alike to customer's special key when key is suitable to locks of our manufacture. Records are carefully kept of locks and keys adapted to special purposes when the same type of lock and key combinations may be required for future orders. This eliminates the necessity of sending new specifications, locks or keys with each order, and minimizes the possibility of making mistakes.

All illustrations in this catalog are full size.



Locks Which Can Be Master Keyed

Number	Available key changes with one master key	Available key changes with two master keys	Page
10.....	100.....	200.....	16
11.....	100.....	200.....	16
76.....	40.....	80.....	7
77.....	40.....	80.....	7
078.....	100.....	150.....	18
079.....	100.....	150.....	18
80.....	60.....	120.....	8
81.....	60.....	120.....	8
84.....	60.....	120.....	9
85.....	60.....	120.....	9
86.....	60.....	120.....	10
87.....	60.....	120.....	10
90.....	60.....	120.....	11
91.....	60.....	120.....	11
92.....	60.....	120.....	11
93.....	60.....	120.....	11
94.....	60.....	120.....	11
95.....	60.....	120.....	11
98.....	60.....	120.....	12
99.....	60.....	120.....	12
113.....	60.....	120.....	14
115.....	60.....	120.....	14
116.....	60.....	120.....	15
117.....	60.....	120.....	14
118.....	60.....	120.....	15
310.....	36.....	72.....	13
311.....	36.....	72.....	13
326.....	Unlimited.....	20
330.....	Unlimited.....	22
341.....	Unlimited.....	20
341 UNIT.....	Unlimited.....	21
530.....	100.....	150.....	18
531.....	100.....	150.....	18
600.....	Unlimited.....	4
601.....	Unlimited.....	4
602.....	Unlimited.....	4
680.....	36.....	72.....	8
681.....	36.....	72.....	8

SINCE 1860

WELL



BUILT

WILSON BOHANNAN LOCKS

CURRENT PRICE LIST



PADLOCKS

Number	The Dozen Without Keys	The Dozen One Key Each	The Dozen Two Keys Each	Page
A	\$ 3.30	\$ 4.50	\$ 5.70	6
AA	4.80	6.00	7.20	6
10	9.00	11.25	13.50	16
11	13.00	15.25	17.50	16
15			12.00	19
50			4.50	5
51			5.00	5
52			5.00	5
70	4.05	5.25	6.45	6
70A	5.55	6.75	7.95	6
070			8.25	17
070A			9.75	17
72	8.00	9.50	11.00	6
72A	9.75	11.25	12.75	6
072			12.75	17
072A			14.75	17
074			16.15	17
075			18.15	17
76	12.00	14.00	16.00	7
77	13.75	15.75	17.75	7
078			17.65	18
079			19.65	18
80	13.00	15.00	17.00	8
81	15.00	17.00	19.00	8
84	14.75	17.00	19.25	9
85	16.50	18.75	21.00	9
86	17.00	19.25	21.50	10
87	18.75	21.00	23.25	10
90	24.75	27.00	29.25	11
91	27.75	30.00	32.25	11
92	27.75	30.00	32.25	11
93	30.75	33.00	35.25	11
94	44.00	47.00	50.00	11
95	47.00	50.00	53.00	11
98	66.00	70.50	75.00	12
99	72.00	76.50	81.00	12
113	16.00	18.00	20.00	14
113 Ref. Key	19.00	21.00	23.00	14
115	18.00	20.25	22.50	14
116	14.00	16.25	18.50	15
117	22.00	24.25	26.50	14
118	16.00	18.25	20.50	15
300	9.00	10.50	12.00	5
300A	11.00	12.50	14.00	5
310	10.00	12.00	14.00	13
311	12.00	14.00	16.00	13
513	13.00	15.00	17.00	13
514	15.00	17.00	19.00	13
530			13.25	18
531			14.85	18
600			15.00	4
600A			15.00	4
600S			15.00	4
601			20.00	4
601A			20.00	4
601S			20.00	4
602			25.00	4
602A			25.00	4
602S			25.00	4
Bronze Chains for Padlocks			2.50	4
Master Keying			5.00	4
Master Keys			5.00	4
680	10.00	12.00	14.00	8
681	12.00	14.00	16.00	8

NIGHT LATCHES, DEAD LOCKS AND WICKET LOCKS.

Number	The Dozen	Page
166	Japanned. (Improved) \$12.00	24
326	Japanned	20.00 20
326	Oxidized or Antique Copper.....	22.50 20
336	Japanned	28.50 22
330	Oxidized or Antique Copper.....	31.00 22
341	Japanned	17.00 29
341	Solid Bronze	25.00 20
341	Japanned Unit Lock	25.00 21
12	Without Keys	6.75 25
12	One Key each	8.25 25
12	Two Keys each	9.75 25

KEY BLANKS.

Number	The Dozen	Page
1	\$1.95	26
2	1.75	26
3	1.50	26
4	1.45	27
5	1.45	27
6	1.45	27
7	1.30	28
8	1.20	28
9	1.00	28
10	1.00	28
11	.85	28

Number	The Gross	Page
91	\$2.65	28
92	2.65	28
93	2.65	28
94	2.65	28
95	2.65	28
96	2.65	28
97	2.65	28
98	2.65	28
99	2.65	28
103	2.65	28
108	2.65	28
341	8.00	28



WILSON BOHANNAN LOCKS

BRONZE SPRING PADLOCKS

Lock cases and all interior parts are of solid bronze.

All springs are of phosphor bronze.

These locks cannot be jarred open. Regularly furnished with case hardened rust-proofed steel shackles. Can also be had with bronze or nickel plated steel shackles. Shackles are locked at both ends. Key changes are practically unlimited. Can be master keyed or grand master keyed in quantities to suit.

Can be made to interchange with Night Latches Nos. 341 and 326. Also to Dead Lock No. 330.



No. 602
2 inch size
Shackle Diameter $\frac{3}{8}$ "

No. 600 Bronze polished. 1 1/2 inch. Five pin tumbler mechanism. Self locking, case hardened, rust proofed steel shackle.

No. 600A. Same as No. 600 but with bronze shackle.

No. 600S. Same as No. 600 but with nickel plated steel shackle.

No. 601. Bronze polished. 1 3/4 inch. Five pin tumbler mechanism. Self locking, case hardened, rust proofed steel shackle.

No. 601A. Same as No. 601 but with bronze shackle.

No. 601S. Same as No. 601 but with nickel plated steel shackle

No. 602. Bronze polished. 2 inch. Five pin tumbler mechanism. Self locking, case hardened, rust proofed steel shackle.

No. 602A. Same as No. 602 but with bronze shackle.

No. 602S. Same as No. 602 but with nickel plated steel shackle.

By adding the letter "C" to any of the above locks a 9 inch heavy bronze chain will be attached. Two nickel silver keys furnished with each lock unless otherwise ordered.



No. 601
1 3/4 inch size
Shackle Diameter $\frac{5}{16}$ "



No. 600
1 1/2 inch size
Shackle Diameter $\frac{1}{4}$ "

Approximate Weight the Dozen

No. 600, 600A, 600S.....	8 lbs.
No. 601, 601A, 601S.....	9 lbs.
No. 602, 602A, 602S.....	10 lbs.
Bronze chains attached to locks.....	12 oz.


Packed one in a box.



WILSON BOHANNAN LOCKS

EXTRUDED BRASS PADLOCKS

Made from solid blocks of brass bored out to receive a pin tumbler mechanism. All springs are of phosphor bronze. Regularly furnished with case hardened, rust proofed, steel shackles. Can also be furnished with brass shackles. Key changes practically unlimited. Padlocks No. 620 and 621 can be master keyed and grand master keyed and can be made to inter-change with night latches No. 341, 326, and dead lock No. 330. These locks cannot be jarred open.



No. 618
 SIZE: 3-4 inch
 Shackle Dia. 1-8 in.
 Shackle Clearance 7-16 in.

No. 618 Polished brass, warded mechanism, 24 key changes, self locking, rust proofed, steel shackle.

No. 618A Same as No. 618 but with brass shackle.

No. 619 Polished brass, 4 pin tumbler mechanism. Self locking, case hardened, rust proofed, steel shackle.

No. 619A Same as 619 but with brass shackle.

No. 620 Polished brass, 5 pin tumbler mechanism. Self locking, case hardened, rust proofed, steel shackle.

620A Same as 620 but with brass shackle.



No. 619
 SIZE: 1 1-8 inch
 Shackle Diameter 3-16 inch
 Shackle Clearance 5-8 inch

No. 621 Polished brass, 5 or 6 pin tumbler mechanism, depending on key changes required. Self locking, case hardened, rust proofed, steel shackle.

No. 621A Same as 621 but with brass shackle.

The letter "C" added to any of the above numbers indicates a 9 in. bronze chain.

Two nickel silver keys with padlocks No. 619, 620, and 621 and two flat steel keys with padlock No. 618, will be furnished unless otherwise ordered. No. 620 Padlock can be furnished with shackles of 7-32 in. or 1-4 in. diameter on order. Shackles of greater clearances furnished on order.



No. 620
 SIZE: 1 1-2 inch
 Shackle Diameter 9-32 inch
 Shackle Clearance 7-8 inch



No. 621
 SIZE: 1 3-4 inch
 Shackle Diameter 5-16 inch
 Shackle Clearance 7-8 inch

Approximate Weight the Dozen

Nos. 618, 618A.....	12 oz.
Nos. 619, 619A.....	2 1-2 lbs.
Nos. 620, 620A.....	.6 lbs.
Nos. 621, 621A.....	.8 lbs.
Bronze chains attached to locks.....	12 oz.

Nos. 618, 618A	Packed 1 Doz. to the box.
Nos. 619, 619A	" 1-2 " " " "
Nos. 620, 620A	" 1 " " "
Nos. 621, 621A	" 1 " " "



WILSON BOHANNAN LOCKS

BRONZE SPRING PADLOCKS



No. 600

SIZE: 1 1-2 inch
Shackle Dia. 9-32 in.
Clearance 7-8 in.

No. 600 Polished bronze. Five pin tumbler mechanism. Self locking, case hardened, rust proofed steel shackle.

No. 600A Same as No. 600 but with brass shackle.



No. 601

SIZE: 1 3-4 inch
Shackle Diameter 5-16 in.
Clearance 7-8 in.

No. 601 Polished bronze. Five or six pin tumbler mechanism, depending on key changes required. Self locking, rust proofed, steel shackle.

No. 601A Same as No. 601 but with brass shackle.

No. 602 Polished bronze. Five or six pin tumbler mechanism, depending on key changes required. Self locking, rust proofed, steel shackle.

No. 602A Same as No. 602 but with brass shackle.

The letter "C" added to any of the above numbers indicates a 9 inch heavy bronze chain.

The letter "D" indicates a dust cover.

Two nickel silver keys furnished with each lock unless otherwise ordered.

Shackles of greater clearance furnished on order. No. 600 padlock can be furnished with shackles of 7-32 in. or 1-4 in. diameter.

Approximate Weight the Dozen

No. 600, 600A.....	.6 1-2 lbs.
No. 601, 601A.....	.7 1-2 lbs.
No. 602, 602A.....	10 lbs.
Bronze chains attached to locks 12 oz.	
Packed one in a box.	



No. 602

SIZE: 2 inch
Shackle Diameter 3-8
Clearance 7-8 in.



WILSON BOHANNAN LOCKS


BRONZE SPRING PADLOCKS

Lock cases, shackles and keys of No. 300 and 300A Padlocks of solid bronze.

Lock cases of No. 50, 51 and 52 Padlocks of solid bronze.

Shackles of nickel plated steel, but can be furnished at an extra cost with brass shackles.

Interior parts of extra hard brass. All springs of phosphor bronze.



No. 50

No. 51

No. 52

No. 50 Bronze, polished. 1 1/4 inch. Spring shackle.

No. 51 Bronze, polished. 1 1/4 inch. Extra long spring shackle with 2 1/2 inch clearance.

No. 52 Bronze, polished. 1 3/4 inch. Spring shackle.

Padlocks 50, 51 and 52 regularly furnished in twelve different key changes. Bronze or steel chains can be attached to these locks.

No. 300 Bronze, semi-finished. 2 inch. Tumbler lock with polished spring shackle.

No. 300A Bronze, semi-finished. 2 inch. Tumbler lock with polished spring shackle. 9 inch hot dipped galvanized steel chain.


Two keys furnished with each lock unless otherwise ordered.

Approximate weight the dozen:

No. 50	2 3/4 lbs.
No. 51	3 lbs.
No. 52	3 1/4 lbs.
No. 300	4 lbs.
No. 300A	5 1/4 lbs.

Nos. 50, 51 and 52 packed one dozen in a box.

Nos. 300 and 300A packed half dozen in a box.



Nos. 300 and 300A
Ninety-six Changes



WILSON BOHANNAN LOCKS

BRONZE SPRING PADLOCKS



Twelve Changes.



Twelve Changes.



Twelve Changes.



Forty-eight Changes.

- No. A. Bronze, polished. 1 inch. Spring shackle. Approximate weight the dozen, 10 oz.
 - No. AA. Bronze, polished. 1 inch. Spring shackle. With 12-inch brass chain and ring. Approximate weight the dozen, 1 1/4 lbs.
 - No. 70. Bronze, polished. 1 1/8 inch. Spring shackle. Approximate weight the dozen, 14 oz.
 - No. 70A. Bronze, polished. 1 1/8 inch. Spring shackle. With 12-inch brass chain and ring. Approximate weight the dozen, 1 1/2 lbs.
 - No. 72. Bronze, polished. 1 1/2 inch. Tumbler lock. Spring shackle. Approximate weight the dozen, 2 lbs.
 - No. 72A. Bronze, polished. 1 1/2 inch. Tumbler lock. Spring shackle. With 9-inch galvanized steel chain. Approximate weight the dozen, 2 1/2 lbs.
- Two keys furnished with each lock unless otherwise ordered. Packed one dozen in a box.



WILSON BOHANNAN LOCKS

BRONZE SPRING PADLOCKS



Ninety-six Changes.
No. 76

Lock cases, shackles and keys of solid bronze. Interior parts of extra hard brass. All springs of phosphor bronze.

THESE LOCKS CANNOT BE JARRED OPEN.

No. 76. Bronze, polished. 2 inch. Tumbler lock. Spring shackle. With spring keyhole cover.

No. 77. Bronze, polished. 2 inch. Tumbler lock. Spring shackle. With spring keyhole cover. 9-inch hot dipped galvanized chain.

Approximate weight the dozen
No. 76 4 1/4 lbs.
No. 77 5 3/4 lbs.

Two keys furnished with each lock unless otherwise ordered.

Packed half dozen in a box.



Ninety-six Changes.
No. 77



WILSON BOHANNAN LOCKS

BRONZE and MALLEABLE IRON SPRING PADLOCKS

Lock cases, shackles and keys of No. 80 and 81 padlocks of solid bronze.

Lock cases and shackles of No. 680 and 681 padlocks of malleable iron.

Interior parts of all locks of extra hard brass. All springs of phosphor bronze.

THESE LOCKS CANNOT BE JARRED OPEN.



Two Hundred and Forty Changes.
No. 80 and 680

No. 80. Bronze, polished. 2¼ inch. Tumbler lock. Spring shackle. With spring keyhole cover.

No. 680. Same as No. 80 but with malleable iron galvanized finish case. Brass works, 2¼ inch. Tumbler lock. Spring shackle. With spring keyhole cover.

No. 81. Bronze, polished. 2¼ inch. Tumbler lock. Spring shackle, with spring keyhole cover. 9-inch hot dipped galvanized chain.

No. 681. Same as No. 81 but with malleable iron galvanized finish case. Brass works. 2¼ inch. Tumbler lock. Spring shackle. With spring keyhole cover. 9-inch hot dipped galvanized chain.

Two keys furnished with each lock unless otherwise ordered.

Approximate weight the dozen:

Nos. 80 and 680.....	6¾ lbs.
Nos. 81 and 681.....	8 lbs.

Packed one dozen in a box.



Two Hundred and Forty Changes.
No. 81 and 681




WILSON BOHANNAN LOCKS

BRONZE SPRING PADLOCKS

Lock cases, shackles, and keys of solid bronze. Interior parts of extra hard brass. All springs of phosphor bronze.

THESE LOCKS CANNOT BE JARRED OPEN.



Two Hundred and Forty Changes
No. 84

No. 84. Bronze, polished. 2½ inch. Tumbler lock, spring shackle, with spring key-hole cover.


No. 85. Bronze, polished. 2½ inch. Tumbler lock, spring shackle, with spring key-hole cover. 9-inch hot dipped galvanized chain.

Two keys furnished with each lock unless otherwise ordered.

Approximate weight the dozen:

No. 84	8 lbs.
No. 85	10¼ lbs.

Packed half dozen in a box.



Two Hundred and Forty Changes
No. 85




WILSON BOHANNAN LOCKS

BRONZE SPRING PADLOCKS

Lock cases, shackles and keys of solid bronze. Interior parts of extra hard brass. All springs of phosphor bronze.

**THESE LOCKS
CANNOT BE
JARRED OPEN**



Three Hundred Changes.
No. 86

No. 86. Bronze, polished. 2 1/2 inch. Extra heavy tumbler lock. Spring shackle with spring key-hole cover.


No. 87. Bronze, polished. 2 1/2 inch. Extra heavy tumbler lock. Spring shackle with spring key-hole cover. Nine-inch hot dipped galvanized chain.

Two keys furnished with each lock unless otherwise ordered.

Approximate weight the dozen:

- No. 86 9 1/2 lbs.
- No. 87 11 3/4 lbs.

Packed half dozen in a box.



Three Hundred Changes. No. 87



WILSON BOHANNAN LOCKS

BRONZE SPRING PADLOCKS



Nos. 90 and 91,
Three Hundred Changes.

Nos. 92 and 93, Five Hundred Changes.

No. 90. Bronze polished. 2 3/4 inch. Extra heavy tumbler lock. Spring shackle with spring key-hole cover.

No. 91. Bronze, polished. 2 3/4 inch. Extra heavy tumbler lock. Spring shackle with spring key-hole cover. Nine-inch hot dipped galvanized chain.

No. 92. Same as No. 90 excepting it has three tumblers, permitting of extra key changes.

No. 93. Same as No. 91 excepting it has three tumblers, permitting of extra key changes.

No. 94. Bronze, polished. 3 inch. Extra heavy three tumbler lock. Spring shackle with spring key-hole cover.

No. 95. Bronze, polished. 3 inch. Extra heavy three tumbler lock. Spring shackle with spring key-hole cover. 11 inch hot dipped galvanized chain.

Two keys furnished with each lock unless otherwise ordered.

Approximate weight the dozen:

Nos. 90 and 92.....	12 3/4 lbs.
Nos. 91 and 93.....	14 1/2 lbs.
No. 94	18 3/4 lbs.
No. 95	22 1/2 lbs.

Packed half dozen in a box.

Lock cases, shackles and keys of solid bronze. Interior parts of extra hard brass. All springs of phosphor bronze.

THESE LOCKS CANNOT BE JARRED OPEN.



Seventy-two Changes.

Nos. 94 and 95




WILSON BOHANNAN LOCKS

BRONZE SPRING PADLOCKS

Extra heavy padlocks, suitable for Prisons or any place requiring a padlock which will stand a most severe attack.

Lock cases, shackles and keys of solid bronze.
Interior parts of extra hard brass.
All springs of phosphor bronze.



Seventy-two changes.
Nos. 98 and 99

No. 98. Bronze, polished. 3¼ inch. Extra heavy four tumbler lock. Spring shackle with spring key-hole cover.

No. 99. Bronze, polished. 3¼ inch. Extra heavy four tumbler lock. Spring shackle with spring key-hole cover. 11 inch hot dipped galvanized chain attached.

Two keys furnished with each lock unless otherwise ordered.

	Approximate weight the dozen:	
No. 98	24 lbs.	No. 99
		26 lbs.

Packed one quarter dozen in a box.



WILSON BOHANNAN LOCKS

BRONZE SPRING PADLOCKS



Lock cases, shackles and keys of solid bronze. Interior parts of extra hard brass. All springs of phosphor bronze.

**THESE LOCKS CANNOT BE JARR-
RED OPEN.**

Two Hundred and Forty Changes.
Nos. 310 and 311

No. 310. Bronze, semi-finished. 2 ¼ inch. Tumbler lock with polished spring shackle.

No. 311. Bronze, semi-finished. 2 ¼ inch. Tumbler lock with polished spring shackle. Nine-inch hot dipped galvanized chain.

No. 513. Bronze, semi-finished. 2 ¼ inch. Heavy tumbler lock with polished spring shackle. Spring key-hole cover.

No. 514. Bronze, semi-finished. 2 ¼ inch. Heavy tumbler lock with polished spring shackle. Spring key-hole cover with nine-inch hot dipped galvanized chain attached.

Two keys furnished with each lock unless otherwise ordered.

Approximate weight the dozen:

No. 3105 ½ lbs.
No. 3116 ½ lbs.
No. 5136 ¼ lbs.
No. 5148 ½ lbs.

Packed half dozen in a box.




Two Hundred and Forty Changes.
Nos. 513 and 514



WILSON BOHANNAN LOCKS

EXTRA HEAVY DUTY BRONZE SPRING PADLOCKS



Lock cases, shackles and keys of solid bronze. Interior parts of extra hard brass. All springs of phosphor bronze.

THESE LOCKS CANNOT BE JARRED OPEN.

Two Hundred and Forty Changes.
No. 113

No. 113. Bronze, semi-finished. 2 1/8 inch. Heavy tumbler lock with polished spring shackle. Spring key-hole cover with nine-inch hot dipped galvanized chain attached. Can also be made with a special key retaining device which prevents key from being withdrawn until lock is securely locked.

No. 115. Bronze, semi-finished. 2 1/2 inch. Heavy tumbler lock with polished spring shackle. Spring key-hole cover with nine-inch hot dipped galvanized chain attached.


No. 117. Same as No. 115 excepting that it has a special key retaining device which prevents the key from being withdrawn until the lock is securely locked.

Two keys furnished with each lock unless otherwise ordered.

Approximate weight the dozen:

No. 113	9 lbs.
No. 115	12 lbs.
No. 117	13 lbs.

Packed half dozen in a box.



Three Hundred Changes. Nos. 115 and 117



WILSON BOHANNAN LOCKS

Extra Heavy Duty Malleable Iron Spring Padlocks



Two Hundred and Forty Changes.
No. 116

No. 116. Malleable iron. Heavily galvanized finished case. 2½ inch. Tumbler lock with brass works. Spring key-hole cover with nine-inch hot dipped galvanized chain attached.

No. 118. Malleable iron. Heavily galvanized finished case. 2½ inch. Tumbler lock with brass works. Spring key-hole cover with nine-inch hot dipped galvanized chain attached.


Two keys furnished with each lock unless otherwise ordered.

Approximate weight, the dozen:

No. 11610 ½ lbs.

No. 11812 lbs.

Packed half dozen in a box.



Two Hundred and Forty Changes.

Large Shackle
No. 118




WILSON BOHANNAN LOCKS

NEW IMPROVED RAILROAD SWITCH PADLOCK

Suitable for all purposes where a heavy duty padlock is required.

No. 10. Lock case of heavy sheet steel. Galvanized to prevent rusting.

No. 11. Lock case of heavy sheet brass.



No. 10 and No. 11 Padlocks have malleable iron shackles. All interior parts of extra hard brass. Springs of phosphor bronze.

120 to 500 changes.

Can be master-keyed in 100 to 200 changes.

Nos. 10 and 11

CANNOT BE JARRED OPEN. THESE LOCKS WILL WITHSTAND SEVERE ABUSE.

In the event of spring failure the locks can still be opened with the key.

In addition to the above features the Nos. 10 and 11 padlocks have the following extra features:

- 1: The lock can be opened by turning the key in EITHER direction.
- 2: Every cut in the key functions. Only the regular key will open the lock.
- 3: The shackle is securely locked at BOTH ENDS.
- 4: When unlocked the shackle is held in full opened position. The use of both hands is not needed to lock it.

No. 10. Galvanized steel case. 3 inch. Extra heavy tumbler lock. Malleable iron spring shackle. Spring key-hole cover. 9-inch hot dipped galvanized steel chain.

No. 11. Polished brass case. 3 inch. Extra heavy tumbler lock. Malleable iron spring shackle. Spring key-hole cover. 9-inch hot dipped galvanized steel chain.


Both locks can be furnished with a special shackle that will enter a hole $\frac{1}{2}$ inch in diameter. Two keys furnished with each lock unless otherwise ordered.

Approximate weight the dozen, 13 lbs. Packed half dozen in a box.



WILSON BOHANNAN LOCKS

BRONZE SPRING PADLOCKS



Six Changes
Nos. 070 and 070A

Lock cases and shackles of solid bronze. Interior parts of extra hard brass. All springs of phosphor bronze.

THESE LOCKS CANNOT BE JARRED OPEN.

No. 070. Bronze, polished. 1 1/8 inch. Tumbler lock with polished spring shackle.

No. 070A. Bronze, polished. 1 1/8 inch. Tumbler lock with polished spring shackle. 12 inch brass chain and ring attached.

No. 072. Bronze, polished. 1 1/2 inch. 3 tumbler lock with polished spring shackle.

No. 072A. Bronze, polished. 1 1/2 inch. 3 tumbler lock with polished spring shackle. 9 inch hot dipped galvanized chain attached.

No. 074. Bronze, polished. 2 inch. 3 tumbler lock with polished spring shackle.

No. 075. Bronze, polished. 2 inch. 3 tumbler lock with polished spring shackle. 9 inch hot dipped galvanized chain attached.


Two keys furnished with each lock unless otherwise ordered.

Approximate weight the dozen:

No. 070	13 1/2 ounces
No. 070A	22 1/2 ounces
No. 072	2 1/4 lbs.
No. 072A	3 1/4 lbs.
No. 074	4 1/2 lbs.
No. 075	5 3/4 lbs.

Nos. 070, 070A, 072 and 072A packed one dozen in a box.
Nos. 074 and 075 half dozen in a box.

Sixty Changes
Nos. 072 and 072A




One Hundred and Forty-four Changes
Nos. 074 and 075



WILSON BOHANNAN LOCKS

BRONZE SPRING PADLOCKS



Two Hundred and Ninety Changes.
Nos. 078 and 079

No. 078. Bronze, polished. 2 1/4 inch. 3 tumbler lock with polished spring shackle.

No. 079. Bronze, polished. 2 1/4 inch. 3 tumbler lock with polished spring shackle. Nine-inch hot dipped galvanized chain attached.

No. 530. Malleable iron, black Japan finished case. 2 1/4 inch tumbler lock. Brass works. Galvanized spring shackle.

No. 531. Malleable iron, black Japan finished case. 2 1/4 inch tumbler lock. Brass works. Galvanized spring shackle with nine-inch hot dipped galvanized chain attached.

Padlocks Nos. 530 and 531 can also be furnished with galvanized cases at no additional cost.

Two keys furnished with each lock unless otherwise ordered.

Approximate weight the dozen:


No. 078	6 lbs.
No. 079	7 1/2 lbs.
No. 530	5 lbs.
No. 531	6 1/2 lbs.

Packed half dozen in a box.

Lock cases and shackles of No. 078 and 079 padlocks of solid bronze. Lock cases and shackles of No. 530 and 531 padlocks of malleable iron. Interior parts of all locks of extra hard brass.

All springs of phosphor bronze.

THESE LOCKS CANNOT BE JARRED OPEN.




Two Hundred and Ninety Changes.
Nos. 530 and 531



WILSON BOHANNAN LOCKS

AUTOMOBILE TIRE LOCK

Rap proof—Pick proof. This lock must be destroyed in order to open it without its proper key. The lock and chain are in one piece, the lock being part of the chain.



No. 15 Tire Lock. 36 Changes

No. 15. Nickel plated steel, 2 3/16 inch. Tumbler lock with all interior parts of extra hard brass. Springs of phosphor bronze. Nickel plated steel spring shackle.

Very heavy electric weld twisted chain covered with fine grade of artificial leather. Furnished in two lengths, 36 and 42 inches. Two nickel plated steel keys furnished with each lock.

Approximate weight the dozen:

36 inch	25 lbs.
42 inch	27 1/2 lbs.

Packed one lock in a box.

Twelve locks to carton.

WELL


SINCE 1860



BUILT

WILSON BOHANNAN LOCKS

IMPROVED CYLINDER RIM NIGHT LATCHES



Nos. 341 and 326.



Case: 341 Japanned. 326 Japanned or antique copper finish.

Both 341 and 326 latches can be furnished constructed entirely of bronze metal.

Size: $3\frac{3}{8}$ x $2\frac{7}{16}$ x 1".

For Doors: $\frac{7}{8}$ " to $2\frac{1}{2}$ " thick. Right or left hand.

Keys: Three nickel silver keys. Changes practically unlimited. Can be master-keyed in quantities to suit.

Operation: From outside by key, from inside by knob. Bolt may be deadlocked by "Stop" so that key will not unlock it. Bolt also may be held back by "Stop".

Backset: Distance from edge of door to center of key-hole $2\frac{3}{8}$ ".

Bolt: Bronze, reversible. No. 326 has special device that permits reversing the bolt without removing the bolt assembly from the case. See illustration.

Knob: Solid bronze.

Packed: One in a box. Complete with screws and direction template for applying.

Weight: 22 lbs. the dozen.



Shows simple way of reversing the 326 latch bolt. Push reversing lever down with thumb, pull out bolt, reverse and push back into case.


At no additional cost, a new type flat nosing requiring less cutting away of the door jamb, will be furnished in place of the box type nosing shown above. See page 24 for illustration of flat nosing.



WILSON BOHANNAN LOCKS

UNIT CYLINDER RIM NIGHT LATCH

For Wire Doors or doors one inch or less in thickness.



No. 341 Unit Latch.

Case: 341 Japanned.

Size: 3 5/8 x 2-7/16 x 1".

For Wire Doors or doors one inch or less in thickness.

Keys: Three nickel silver keys. Changes practically unlimited. Can be master-keyed in quantities to suit.

Operation: From outside by key, from inside by knob. Bolt may be deadlocked by "Stop" so that key will not unlock it. Bolt also may be held back by "Stop".

Backset: Distance from edge of door to center of key-hole 2 3/8".

Bolt: Bronze, reversible.

Knob: Solid bronze.


Packed: One in a box.

Weight: 19 lbs. the dozen.



No. 341 Unit Latch.

Rear view showing cylinder securely attached to lock case. To attach, bore hole and insert screws or bolts.




New type of flat nosing or strike. For doors opening inwards or outwards.



WILSON BOHANNAN LOCKS


CYLINDER RIM DEAD LOCK



No. 330

Case: Japanned or antique copper finish.
 Size: 3 5/8" x 2 7/16" x 1".
 For Doors: 3/8" to 2 1/2" thick.

Right or left hand.
 Keys: Three nickel silver keys. Changes practically unlimited. Can be master-keyed in quantities to suit.



Operation: From outside by key. From inside by knob.
 Backset: Distance from edge of door to center of key-hole 2 3/8".
 Bolt: Heavy bronze, extra long throw of nearly one inch.
 Knob: Solid bronze.
 Packed one in a box, complete, with screws.

Weight: 25 pounds per dozen.
 At no additional cost a new type of flat nosing requiring less cutting away of the door jamb, will be furnished in place of the box type nosing shown above. See page 24 for illustration of flat nosing.




Figure 1.

Figure 1. View of cylinder cut in half showing key partly inserted. Pins not in alignment prevent plug from turning.




Figure 2.

Figure 2. View of cylinder cut in half showing key fully inserted. Key raising pins to complete alignment allows plug to turn freely.

SECTIONAL VIEWS OF CYLINDER SHOWING OPERATION OF PIN TUMBLERS.

Special cylinders can be furnished for automotive purposes, mail boxes, electrical devices or for any place requiring a high degree of protection.

Prices on Inquiry.



WILSON BOHANNAN LOCKS

Illustrations showing the ADVANCED METHOD Of applying Cylinder Locks Numbered 341, 326 and 330.

HALF OF THE TIME REQUIRED IN THE OLD WAY IS SAVED.

Illustration showing the No. 341, 326 and 330 locks applied to a door. Note the connecting screws which pass from the face of the lock through the case and door and screw into the lugs of the CYLINDER. This method eliminates the back-plate and joins the lock and cylinder together in one unit.






Illustration shows lock case and cylinder held in place with one hand while connecting screws are applied with the other. The simplest and quickest method in use in applying a dead lock or a night latch. The Nos. 341 and 326 Night Latches, and No. 330 Dead Lock can be applied to doors in one-half the time required for other cylinder locks.

Illustration—Lock in place on a door shows how the connecting screws attach the cylinder and case together in one unit, making it easy to apply.

To apply these locks to any door requires but to measure back from the edge of the door 2 3/8", bore a 1 3/8" hole, apply the lock to the inside of the door, the cylinder to the outside and fasten together by means of the connecting screws. The job is finished by inserting the two wood screws in the fore-end.

Repair Parts for Cylinder Night Latches.



	Doz.		Doz.
Cap	\$.60	Connecting Screws	\$.12
Nosing (Box type)	1.44	Cam12
Nosing (Flat type)96	Cam Screws06
Nosing (Reverse bevel)24	Cap Screws06
Cylinder Rings60	Cylinder Springs12
Connecting Bar or Spindle.....	.12	Pin Tumblers (Assorted sizes)—\$1.00 the oz.	
		Drivers—.75 the oz.	

Repair part prices are NET. Not subject to discount.



WILSON BOHANNAN LOCKS

IMPROVED TUBULAR RIM NIGHT LATCH



Case: 166 Japanned.

No. 166. Front view.

Size: 3 5/8 x 2 7/16 x 1". Can be made to suit two-inch doors by using extra long keys. See blank No. 103, Page 28.

For Doors: 7/8" to 1 1/4" thick. Right or left hand.

Keys: Two nickle plated steel keys. Twelve changes. More can be furnished at extra cost.

Operation: From outside by key; from inside by knob. Bolt may be deadlocked by "Stop" so that key will not unlock it. Bolt also may be held back by "Stop".

Backset: Distance from edge of door to center of keyhole 2 3/8".


Bolt: Bronze, reversible.

Knob: Solid bronze.


Packed: One in a box.

Complete with screws.

Weight: 16 1/2 lbs., the dozen.



No. 166
Back view




New type of flat nosing. For doors opening inwards or outwards. Furnished on request, in place of box type nosing with locks numbered 326, 330 and 341.





WILSON BOHANNAN LOCKS

BRONZE WICKET LOCK NUMBER 12

For Grills, Wicket Gates,
Office or Partition Windows.



Lock and Nosing








Window Showing Lock Applied

IMPORTANT

In ordering please specify whether right or left hand locks are required, regular or reverse bevel.

Study carefully the illustrations shown below

Top Views of Wicket Locks



A
Right Hand
Regular Bevel

B
Right Hand
Reverse Bevel

C
Left Hand
Regular Bevel

D
Left Hand
Reverse Bevel

A: For doors opening inwards with opening to the right.

B: For doors opening outwards with opening to the right.

C: For doors opening inwards with opening to the left.

D: For doors opening outwards with opening to the left.

Case: Polished bronze.

Size: $2\frac{7}{8}$ x $\frac{1}{2}$ x $\frac{3}{8}$ inches.

Keys: Two keys furnished with each lock unless otherwise specified.

Operation: From inside by key.

Packed: One dozen in a box.

Approximate weight the dozen—1 $\frac{3}{4}$ lbs.

SINCE 1860

WELL



BUILT
































WILSON BOHANNAN LOCKS

BRONZE PADLOCK KEY BLANKS

No. 1 Series suitable for padlocks 94, 95, 98 and 99.

No. 2 Series suitable for padlocks 84, 85, 86, 87, 90, 91, 92, 93, 115, 116, 117, 118, 10 and 11. For large diameter key posts.

No. 3 Series suitable for padlocks 84, 85, 86, 87, 90, 91, 92, 93, 115, 116, 117, 118, 10 and 11. For small diameter key posts.



Approximate weight the dozen:

No. 1	15 oz.
No. 2	10 oz.
No. 3	8 oz.

These views show the correct position of the key hole.



WILSON BOHANNAN LOCKS